



EV GOLF / UTILITY VEHICLES
**DEEP CYCLE AGM
BATTERIES**

SGC8-165 (8Volts)



www.starmaxbatteries.com

DEEP CYCLE AGM BATTERY

SGC8-165 (8Volts 165Ah)

Features and Benefits

- ✔ True deep cycle AGM technology-GREEN SOLUTION
- ✔ Over 99.99% virgin lead for grid plate and active material
- ✔ Heavy duty grid/paste design for deep cycle application
- ✔ Maintenance free, non-spillable, valve-regulated
- ✔ Double separator configuration: long cycle life & High energy density and super anti-vibration design
- ✔ Low self-discharge for longer shelf life



Electrical Specifications

Voltage(V)	Capacity (AH)					Reserve Capacity (Min)		
	100HR	20HR	10HR	5HR	3HR	@25A	@56A	@75A
8	180	165	155	140	125	325	130	/


Physical Specifications

Model	Dimensions (mm/inches)				Weight (kg/lbs)	Terminal Type (Standard)	Case Material
	Length	Width	Height	Total Height			
SGC8-165-GC8	260 (10.24)	180 (7.09)	252 (9.92)	274 (10.79)	29.3 (64.6)	DT-5/16	PP

Operating Temperature Range		
Discharge	Charge	Storage
-15°C~50°C (5°F~122°F)	0°C~40°C (32°F~104°F)	-15°C~40°C (5°F~104°F)




DIMENSIONS




Note: D:Positive $19.5_{-0.3}^0$, D:Negative $17.9_{-0.3}^0$; Terminal Torque Values in-lb(Nm) :176-203(20-23)

PERFORMANCE CHARACTERISTICS


Starmax LDC AGM Charging Profile




Relationship of OCV and State of Charge (25°C, 77°F)



Cycle life in relation to Depth of Charge



Self-discharge Characteristic





Starmax Corporation

1585 Cliveden Avenue, Delta, British Columbia
V3M 6M1, Canada

Phone: +1 888 669 1310

Email: info@starmaxbatteries.com

Website: www.starmaxbatteries.com

